



# CUT-OFF WHEELS

*Cut With The Best, Forget The Rest!*



**800-537-4275**




## CUT-OFF WHEELS - SURE LIFE - ZIRCONIA

Long life Zirconia grain fiberglass Reinforced wheels are faster cutting than Aluminum Oxide. Lasting up to 3 times longer than a regular aluminum oxide wheels, they are comparable to other Long-life wheels. They are designed for cutting a variety of applications including Stainless Steel, Steel and other harder materials. Made in the USA.



### PLATINUM SURE LIFE - TYPE 1




Size: **3" x 1/32" x 3/8"**  
 Grit: **60**  
 RPM: **25,000**

Part#	Qty
<b>12658</b>	<b>5 Pack</b>
<b>12758 (Old 26SL)</b>	<b>6 Pack</b>
<b>13218</b>	<b>50 Pack</b>
<b>26SL-10</b>	<b>10 Pack</b>
<b>26SL-M</b>	<b>6 Pack Plus Mandrel 3/8" Shoulder Screw</b>



**CAUTION:**  
 Always wear safety goggles & full face mask. Use only with a safety guard. **MUST COMPLY** with ANSI B7.1 & OSHA Regulations! **NEVER** exceed maximum RPM.

**PLATINUM SURE LIFE CUT-OFF WHEELS - TYPE 1**



Size: **3" x 1/16" x 3/8"**

Grit: **36**

RPM: **25,000**

Part#	Qty
<b>12657</b>	<b>5 Pack</b>
<b>12757 (Old 25SL)</b>	<b>6 Pack</b>
<b>13217</b>	<b>50 Pack</b>
<b>25SL-10</b>	<b>10 Pack</b>
<b>25SL-M</b>	<b>6 Pack Plus Mandrel 3/8" Shoulder Screw</b>







# PLATINUM SURE LIFE CUT-OFF WHEELS - TYPE 1

3/8"  
Arbor  
↔



3/32"  
Thick

Size: **3" x 3/32" x 3/8"**  
Grit: **54**  
RPM: **25,000**

Part#	Qty
<b>37SL</b>	<b>6 Pack</b>

3"

3/8"  
Arbor  
↔



1/8"  
Thick

Size: **3" x 1/8" x 3/8"**  
Grit: **46**  
RPM: **25,000**

Part#	Qty
<b>29SL</b>	<b>6 Pack</b>

3"

# PLATINUM SURE LIFE CUT-OFF WHEELS - TYPE 1



3/8"  
Arbor  
↔



Size: **3" x 3/16" x 3/8"**  
Grit: **54**  
RPM: **25,000**

3/16"  
Thick  
■

Part#	Qty
12659	5 Pack
38SL	6 Pack







## CUT-OFF WHEELS - ALUMINUM OXIDE

Reinforced with Fiberglass. Fast cutting abrasive reinforced cut-off wheels can be used in a variety of applications, including steel cutting. The fiberglass reinforcement provides greater tensile strength, as well as increased safety. Made in USA.



### 2 INCH CUT-OFF WHEELS - TYPE 1




Size: **2" x 1/32" x 3/8"**

Grit: **54**

RPM: **30,000**

Part#	Qty
<b>19</b>	<b>10 Pack</b>



Size: **2" x 1/16" x 1/4"**

Grit: **54**

RPM: **30,558**


Part#	Qty
<b>20</b>	<b>10 Pack</b>



**CAUTION:**


Always wear safety goggles & full face mask. Use only with a safety guard. MUST COMPLY with ANSI B7.1 & OSHA Regulations! NEVER exceed maximum RPM.

## 2 INCH CUT-OFF WHEELS - TYPE 1




Size: **2" x 1/16" x 3/8"**  
Grit: **54**  
RPM: **30,558**

Part#	Qty
<b>21</b>	<b>10 Pack</b>



Size: **2" x 1/8" x 1/4"**  
Grit: **54**  
RPM: **45,000**

Part#	Qty
<b>22</b>	<b>10 Pack</b>



Size: **2" x 1/8" x 3/8"**  
Grit: **54**  
RPM: **45,000**

Part#	Qty
<b>23</b>	<b>10 Pack</b>



### 3 INCH CUT-OFF WHEELS - TYPE 1

1/4"  
Arbor  
↔

Size: **3" x 1/32" x 1/4"**  
Grit: **54**  
RPM: **25,000**



1/32"  
Thick

Part#	Qty
30-10	10 Pack
30-100	100 Pack

3"





## 3 INCH CUT-OFF WHEELS - TYPE 1



Size: **3" x 1/32" x 3/8"**

Grit: **54**

RPM: **25,000**


Part#	Qty
<b>12700</b> (Old 26-10)	<b>10 Pack</b>
<b>12701</b> (Old 26-50)	<b>50 Pack</b>
<b>13216</b> (Old 26-100)	<b>100 Pack</b>
<b>26-5</b>	<b>5 Pack</b>
<b>26-6</b>	<b>6 Pack</b>
<b>26-20</b>	<b>20 Pack</b>
<b>26-25</b>	<b>25 Pack</b>
<b>26-6M</b>	<b>6 Pack Plus Mandrel 3/8" Shoulder Screw</b>



**CAUTION:**  
Always wear safety goggles & full face mask. Use only with a safety guard. MUST COMPLY with ANSI B7.1 & OSHA Regulations! NEVER exceed maximum RPM.



### 3 INCH CUT-OFF WHEELS - TYPE 1



Size: **3" x 1/16" x 1/4"**  
 Grit: **54**  
 RPM: **25,000**

Part#	Qty
<b>12702</b> (Old 27-10)	<b>10 Pack</b>
<b>12703</b>	<b>50 Pack</b>
<b>27-25</b>	<b>25 Pack</b>
<b>27-100</b>	<b>100 Pack</b>



Size: **3" x 1/16" x 3/8"**  
 Grit: **46**  
 RPM: **25,000**

Part#	Qty
<b>24-10</b>	<b>10 Pack</b>
<b>24-20</b>	<b>20 Pack</b>
<b>24-50</b>	<b>50 Pack</b>
<b>24-100</b>	<b>100 Pack</b>



## 3 INCH CUT-OFF WHEELS - TYPE 1



Size: **3" x 1/16" x 3/8"**

Grit: **54**

RPM: **25,000**

**1/16"**  
Thick

Part#	Qty
<b>12704</b> (Old 25-10)	<b>10 Pack</b>
<b>12705</b> (Old 25-50)	<b>50 Pack</b>
<b>13215</b> (Old 25-100)	<b>100 Pack</b>
<b>25-5</b>	<b>5 Pack</b>
<b>25-6</b>	<b>6 Pack</b>
<b>25-20</b>	<b>20 Pack</b>
<b>25-25</b>	<b>25 Pack</b>
<b>12730</b> (Old 25-6M)	<b>6 Pack Plus Mandrel 3/8" Shoulder Screw</b>

**12730**





### 3 INCH CUT-OFF WHEELS - TYPE 1




Size: **3" x 3/32" x 3/8"**

Grit: **54**

RPM: **25,000**

Part#	Qty
<b>37-10</b>	<b>10 Pack</b>
<b>37-100</b>	<b>100 Pack</b>



Size: **3" x 1/8" x 3/8"**

Grit: **54**

RPM: **25,000**


Part#	Qty
<b>12708</b> (Old 29-5)	<b>5 Pack</b>
<b>12709</b> (Old 29-50)	<b>50 Pack</b>
<b>29-10</b>	<b>10 Pack</b>



**CAUTION:**  
Always wear safety goggles & full face mask. Use only with a safety guard. **MUST COMPLY** with ANSI B7.1 & OSHA Regulations! **NEVER** exceed maximum RPM.



## 3 INCH CUT-OFF WHEELS - TYPE 1



Size: **3" x 3/16" x 3/8"**

Grit: **54**

RPM: **25,000**

Part#	Qty
<b>38-5</b>	<b>5 Pack</b>
<b>38-50</b>	<b>50 Pack</b>





# 4 INCH CUT-OFF WHEELS - TYPE 1

3/8" Arbor



1/32"  
Thick

4"

Size: **4" x 1/32" x 3/8"**  
Grit: **60**  
RPM: **21,000**

Part#	Qty
<b>12710</b> (Old 42)	<b>10 Pack</b>
<b>12711</b>	<b>50 Pack</b>
<b>42-100</b>	<b>100 Pack</b>

5/8" Arbor



1/32"  
Thick

4"

Size: **4" x 1/32" x 5/8"**  
Grit: **60**  
RPM: **21,000**

Part#	Qty
<b>43</b>	<b>10 Pack</b>
<b>43-100</b>	<b>100 Pack</b>



**CAUTION:**

Always wear safety goggles & full face mask. Use only with a safety guard. MUST COMPLY with ANSI B7.1 & OSHA Regulations! NEVER exceed maximum RPM.



## 4 INCH CUT-OFF WHEELS - TYPE 1



Size: **4" x 1/16" x 3/8"**  
 Grit: **54**  
 RPM: **21,000**

Part#	Qty
<b>12712</b> (Old 45)	<b>10 Pack</b>
<b>12713</b>	<b>50 Pack</b>
<b>45-100</b>	<b>100 Pack</b>



Size: **4" x 1/16" x 5/8"**  
 Grit: **54**  
 RPM: **15,300**

Part#	Qty
<b>12716</b> (Old 46)	<b>10 Pack</b>
<b>12717</b>	<b>50 Pack</b>
<b>46-100</b>	<b>100 Pack</b>



# 4 INCH CUT-OFF WHEELS - TYPE 1

7/8" Arbor



Size: 4" x 1/16" x 7/8"  
Grit: 46  
RPM: 21,000

Part#	Qty
50	10 Pack
50-100	100 Pack

1/16" Thick

5/8" Arbor



Size: 4" x 3/32" x 5/8"  
Grit: 46  
RPM: 15,300

Part#	Qty
41	10 Pack
41-100	100 Pack

3/32" Thick



**CAUTION:** Always wear safety goggles & full face mask. Use only with a safety guard. MUST COMPLY with ANSI B7.1 & OSHA Regulations! NEVER exceed maximum RPM.



# 4 INCH CUT-OFF WHEELS - TYPE 1



Size: **4" x 1/8" x 3/8"**  
 Grit: **46**  
 RPM: **15,300**

Part#	Qty
<b>12714</b> (Old 47)	<b>10 Pack</b>
<b>12715</b>	<b>50 Pack</b>
<b>47-100</b>	<b>100 Pack</b>

**1/8"**  
Thick



Size: **4" x 1/8" x 5/8"**  
 Grit: **46**  
 RPM: **15,300**

Part#	Qty
<b>48</b>	<b>10 Pack</b>
<b>48-100</b>	<b>100 Pack</b>

**1/8"**  
Thick





## 4 INCH CUT-OFF WHEELS - TYPE 1



Size: **4" x 1/8" x 7/8"**  
Grit: **46**  
RPM: **21,000**

Part#	Qty
<b>49</b>	<b>10 Pack</b>
<b>49-100</b>	<b>100 Pack</b>

**1/8"**  
Thick

## MANDRELS FOR CUT-OFF WHEELS



### MANDRELS

Shark mandrels can be used to convert any die grinder into a cut-off tool using either 1/4" or 3/8" I.D. wheels. Be sure to wear proper eye protection/face mask, gloves and safety gear. Shark offers 7 different types of mandrels for any application.



Size: **3/8" Shoulder Screw**  
RPM: **25,000**


Part#	Qty
<b>12431</b> (Old 31)	<b>1 Pack</b>

## MANDRELS FOR CUT-OFF WHEELS



Size: **1/4" & 3/8" Shoulder Screw**  
 RPM: **25,000**

Part#	Qty
<b>12935</b> (Old 32)	<b>1 Pack</b>



Size: **3/8" Extended Shoulder Screw.**  
**For use with wheels thicker than 3/8" with 3/8" arbor hole.**  
 RPM: **25,000**

Part#	Qty
<b>12433</b> (Old 33)	<b>1 Pack</b>



Size: **1/4" Extended screw for wheels thicker than 3/8"**  
 RPM: **25,000**

Part#	Qty
<b>37L</b>	<b>1 Pack</b>



Size: **1/4" Shoulder Screw**  
 RPM: **25,000**

Part#	Qty
<b>37S</b>	<b>1 Pack</b>





**Shark Industries, Ltd.**  
**6700 Bleck Drive, Rockford, MN 55373 USA**  
**763-565-1900 • 800-537-4275**  
**Fax: 763-565-1901 [Orders@sharkind.com](mailto:Orders@sharkind.com) [sharkind.com](http://sharkind.com)**