




# Power Brushes & Wire Wheels



## Double Row Twist Knotted Cup Brushes

Provides very aggressive brushing action while still maintaining some flexibility. For use on steel or hard materials for general purpose cleaning and polishing. Use in an air or electric tool angle grinder.



14049



14050



14051



### Double Row Knotted Cup Brushes

PART#	SIZE	ARBOR	STYLE	WIRE SIZE	FILL WIRE	TRIM LENGTH	MAX RPM
14049	4"	5/8"-11NC	Knotted/ Double	.014"	Carbon Steel	1"	9,000
14050	5"	5/8"-11NC	Knotted/ Double	.014"	Carbon Steel	1"	7,000
14051	6"	5/8"-11NC	Knotted/ Double	.014"	Carbon Steel	1-3/8"	6,500

## Heavy-Duty Single Row Twist Knotted Cup Brushes

Features a hollow end and heavy-duty brushing action with some flexibility; ideal for more demanding cleaning applications in recessed areas. Use in an air or electric angle grinder.



14174



14177



### Heavy-Duty Single Row Knotted Cup Brushes

PART#	SIZE	ARBOR	STYLE	WIRE SIZE	FILL WIRE	TRIM LENGTH	MAX RPM
14174	3-1/2"	5/8"-11NC	Knotted/ Single	.023"	Carbon Steel	7/8"	13,000
14177	3-1/2"	3/8"-24UNF	Knotted/ Single	.023"	Carbon Steel	7/8"	13,000



14041

### Single Row Twist Knotted Cup Brushes

Available with standard sizes in various diameters. Use for general cleaning, welding and removal of paint and rust. Use with angle grinders.



13989



14042

### Single Row Knotted Cup Brushes



14043



13991



14038



14047

PART#	SIZE	ARBOR	STYLE	WIRE SIZE	FILL WIRE	TRIM LENGTH	MAX RPM
14041	3"	1/2"-13	Knotted/Single	.020"	Carbon Steel	7/8"	12,500
14042	3"	5/8"-11NC	Knotted/Single	.014"	Carbon Steel	7/8"	12,500
14043	3"	5/8"-11NC	Knotted/Single	.020"	Carbon Steel	7/8"	12,500
13991	3"	5/8"-11NC	Knotted/Single	.014"	Stainless Steel	7/8"	12,500
14038	3-1/2"	5/8"-11NC	Knotted/Single	.020"	Carbon Steel	1-1/8"	13,000
14047	4"	5/8"-11NC	Knotted/Single	.020"	Carbon Steel	1-1/4"	9,000
13989	4"	5/8"-11NC	Knotted/Single	.020"	Carbon Steel	1"	9,000
14048	6"	5/8"-11NC	Knotted/Single	.020"	Carbon Steel	1-1/4"	6,500
13990	6"	5/8"-11NC	Knotted/Single	.020"	Stainless Steel	1-1/4"	6,500



13989



14048



13990



14075



14076



14077



14082

## Crimped Wire Cup Brushes

For use in cleaning metal parts and hard surfaces in hard to reach places. Use with angle grinders. Always follow correct speed ratings.



14080

### Crimped Wire Cup Brushes

PART#	SIZE	ARBOR	STYLE	WIRE SIZE	FILL WIRE	TRIM LENGTH	MAX RPM
14075	3"	1/2"-13	Crimped	.014"	Carbon Steel	1"	12,500
14076	3"	5/8"-11NC	Crimped	.014"	Carbon Steel	1-1/4"	12,500
14077	3"	M10 x 1.25	Crimped	.020"	Carbon Steel	1"	12,500
14080	4"	5/8"-11NC	Crimped	.014"	Carbon Steel	1-1/8"	9,000
14082	6"	5/8"-11NC	Crimped	.020"	Carbon Steel	1-1/2"	6,500



14080



## Mounted Crimped Wire Cup Brushes

A general purpose brush used with power drills. Brushes have many applications around the shop and home environments. Coarse brushes are .020" wire and fine brushes are .014".



### 1/4" Shank Mounted Crimped Wire Cup Brushes - Round Shank

PART#	SIZE	STYLE	WIRE SIZE	FILL WIRE	SHANK	TRIM LENGTH	MAX RPM
712E	1-1/4"	Crimped Cup on Shank	.014"	Carbon Steel	1/4" Round	5/8"	4,500
14095	1-1/2"	Crimped Cup on Shank	.020"	Carbon Steel	1/4" Round	5/8"	4,500
14096	2-1/2"	Crimped Cup on Shank	.020"	Carbon Steel	1/4" Round	3/4"	13,000
14097	2-1/2"	Crimped Cup on Shank	.014"	Carbon Steel	1/4" Round	7/8"	13,000



## Mounted Crimped Wire Cup Brushes

A general purpose brush with 1/4" hex shank used with power drills. Brushes have many applications around the shop and home environments. Coarse brushes are .012" wire and fine brushes are .008".



### 1/4" Shank Mounted Crimped Wire Cup Brushes - Hex Shank

PART#	SIZE	STYLE	WIRE SIZE	FILL WIRE	SHANK	TRIM LENGTH	MAX RPM
13974	2"	Crimped Cup on Shank	.012"	Carbon Steel	1/4" Hex	5/8"	4,500
13975	2"	Crimped Cup on Shank	.008"	Carbon Steel	1/4" Hex	5/8"	4,500
13976	3"	Crimped Cup on Shank	.012"	Carbon Steel	1/4" Hex	3/4"	4,500
13977	3"	Crimped Cup on Shank	.008"	Carbon Steel	1/4" Hex	3/4"	4,500
14033	3"	Crimped Cup on Shank	.016"	Brass Coated Steel	1/4" Hex	1"	10,000
14033R	3"	Crimped Cup on Shank	.016"	Brass Coated Steel	1/4" Hex	1"	10,000

WIRE WHEEL BRUSHES



14165



14171



14172



14175



14176



14173



14179

## Heavy-Duty Twist Knot Wire Wheel Brushes

These brushes provide heavy-duty brushing action with some flexibility and are ideal for demanding cleaning applications on somewhat irregular surfaces. Includes bushing for two arbor diameters.

Applications: Cleaning, Deburring

Tools: Bench/Pedestal Grinder, Die Grinder, Right Angle Die Grinder, Straight Grinder



### Heavy-Duty Twist Knot Wire Wheel Brushes - Arbor 1/2" - 3/8"

PART#	WEILER#	SIZE	FACE WIDTH	ARBOR	STYLE	WIRE SIZE	FILL WIRE	TRIM LENGTH	MAX RPM
14165	08014	3"	3/8"	1/2" - 3/8"	Twist Knot	.014"	Carbon Steel	5/8"	25,000
14171	08034	4"	1/2"	1/2" - 3/8"	Twist Knot	.0118"	Carbon Steel	7/8"	20,000
14172	08044	4"	1/2"	1/2" - 3/8"	Twist Knot	.014"	Carbon Steel	7/8"	20,000
14175	08064	4"	1/2"	1/2" - 3/8"	Twist Knot	.020"	Carbon Steel	7/8"	20,000
14176	08534	4"	1/4"	1/2" - 3/8"	Cable Twist Knot	.020"	Carbon Steel	7/8"	20,000

### Heavy-Duty Twist Knot Wire Wheel Brush - Arbor 5/8"-11NC

PART#	WEILER#	SIZE	FACE WIDTH	ARBOR	STYLE	WIRE SIZE	FILL WIRE	TRIM LENGTH	MAX RPM
14173	13120	4"	1/2"	5/8"-11	Twist Knot	.020"	Carbon Steel	7/8"	20,000

## Heavy-Duty 10" Cable Twist Knot Wheel

Features four rows of tightly knotted wire and made for demanding, automatic jobs. Ideal for use with cast iron, steel, and tool steel.

Applications: Cleaning the O.D. of drill pipe and other oilfield tubular goods

Tools: CNC/Milling/Automatic Machines



### Heavy-Duty Cable Twist Knot Wheel

PART#	WEILER#	SIZE	FACE WIDTH	ARBOR	STYLE	WIRE SIZE	FILL WIRE	TRIM LENGTH	MAX RPM
14179	94008	10"	1-3/4"	2"	Cable Twist Knot	.023"	Carbon Steel	1-3/4"	4,500

**WIRE WHEEL BRUSHES**



14064

**Twist Knot Wire Wheel Brushes**

These brushes are available with standard center thread sizes with a width of 5/16" and .020" wire. Use on hard materials for general purpose cleaning and polishing.



14065

**Twist Knot Wire Wheel Brushes - Arbor 5/8"-11NC**

PART#	SIZE	FACE WIDTH	ARBOR	STYLE	WIRE SIZE	FILL WIRE	TRIM LENGTH	MAX RPM
14064	4"	1/2"	5/8"-11NC	Twist Knot	.020"	Carbon Steel	7/8"	12,500
14065	4"	5/8"	5/8"-11NC	Twist Knot	.020"	Stainless Steel	7/8"	20,000
13980	4-1/2"	5/8"	5/8"-11NC	Twist Knot	.020"	Carbon Steel	7/8"	12,500
13981	4-1/2"	1/2"	5/8"-11NC	Twist Knot	.020"	Stainless Steel	7/8"	12,500
14130	5"	1/2"	5/8"-11NC	Twist Knot	.020"	Carbon Steel	7/8"	12,500
14134	5"	5/8"	5/8"-11NC	Twist Knot	.020"	Stainless Steel	1"	12,500
14066	6"	5/8"	5/8"-11NC	Twist Knot	.020"	Carbon Steel	1-1/4"	9,000
14067	6"	5/8"	5/8"-11NC	Twist Knot	.020"	Stainless Steel	1-1/4"	9,000
13982	7"	5/8"	5/8"-11NC	Twist Knot	.020"	Carbon Steel	1-1/2"	9,000
13983	7"	5/8"	5/8"-11NC	Twist Knot	.020"	Stainless Steel	1-1/2"	9,000



13980



13981



14130



14134



14066



14067



13983



14060



14068



787S



760S

## Knotted Wire Wheel Brushes

Use on hard materials for general purpose cleaning and polishing.



### Knotted Wire Wheel Brushes With Bushings

PART#	SIZE	FACE WIDTH	ARBOR	STYLE	WIRE SIZE	FILL WIRE	TRIM LENGTH	MAX RPM
14060	4"	5/8"	1/2"- 3/8"	Knotted	.014"	Carbon Steel	3/4"	20,000
14068	6"	5/8"	1/2"- 5/8"	Knotted	.020"	Carbon Steel	1-1/4"	9,000
787S	8"	5/8"	1/2"- 5/8"	Knotted	.014"	Carbon Steel	1-1/2"	9,000



### Full Cable Wheel Brush with Bushing

PART#	SIZE	FACE WIDTH	ARBOR	STYLE	WIRE SIZE	FILL WIRE	TRIM LENGTH	MAX RPM
760S	6"	5/8"	1/2"- 5/8"	Full Cable	.014"	Carbon Steel	1-1/4"	6,000





14084

## Stringer Bead Twist Wire Wheel Brushes

These brushes are available with standard or metric arbor sizes and .020" heavy duty wire. Used for aggressive cleaning.



14085

### Stringer Bead Twist Wire Wheel Brushes - Arbor 5/8"-11NC

PART#	SIZE	FACE WIDTH	ARBOR	STYLE	WIRE SIZE	FILL WIRE	TRIM LENGTH	MAX RPM
14084	4"	.30"	5/8"-11NC	Stringer Bead	.020"	Carbon Steel	3/4"	12,500
14085	4"	3/8"	5/8"-11NC	Stringer Bead	.020"	Stainless Steel	3/4"	12,500
13984	4-1/2"	3/8"	5/8"-11NC	Stringer Bead	.020"	Carbon Steel	1-1/8"	12,500
13985	4-1/2"	5/8"	5/8"-11NC	Stringer Bead	.020"	Stainless Steel	1"	12,500
14089	5"	3/8"	5/8"-11NC	Stringer Bead	.020"	Carbon Steel	7/8"	12,500
14138	5"	.30"	5/8"-11NC	Stringer Bead	.020"	Stainless Steel	1"	12,500
13985	6"	1/4"	5/8"-11NC	Stringer Bead	.020"	Carbon Steel	1"	9,000
14139	6"	.30"	5/8"-11NC	Stringer Bead	.020"	Stainless Steel	1"	9,000
13986	7"	3/8"	5/8"-11NC	Stringer Bead	.020"	Carbon Steel	1-1/2"	9,000
13987	7"	3/4"	5/8"-11NC	Stringer Bead	.020"	Stainless Steel	1-1/2"	9,000



13984



13985



14089



14138



14128



14139



13986



13987



14160



14161



14162



14163



14034



14035



14164



14181

## Heavy-Duty Crimped Wire Wheels

Identifiable by their copper center, these small diameter crimped wire wheels feature a plain arbor hole for use on a variety of portable tools and stationary machines. Featuring solid ring construction for high-speed use. Includes bushing for two arbor diameters.



### 2" & 3" Power Crimped Wire Wheels

PART#	WEILER#	SIZE	FACE WIDTH	ARBOR	WIRE SIZE	FILL WIRE	TRIM LENGTH	MAX RPM
14160	15463	2"	3/8"	1/2" - 3/8"	.0118"	Carbon Steel	1/2"	20,000
14161	15563	3"	5/8"	1/2" - 3/8"	.0118"	Carbon Steel	1"	20,000
14162	15533	3"	5/8"	1/2" - 3/8"	.006"	Carbon Steel	1"	20,000
14163	15543	3"	5/8"	1/2" - 3/8"	.008"	Carbon Steel	1"	20,000

## Crimped Wire Wheels

### 3" & 4" Crimped Wire Wheels

PART#	SIZE	FACE WIDTH	ARBOR	STYLE	WIRE SIZE	FILL WIRE	TRIM LENGTH	MAX RPM
14034*	3"	3/4"	1/2"	Crimped	.008"	Carbon Steel	1"	4,500
14035*	4"	7/8"	1/2"	Crimped	.008"	Carbon Steel	1-1/2"	4,500

\*bushings not included

## Heavy-Duty Crimped Encapsulated Wire Wheels

Elastomer gradually wears exposing consistent short trim for maximum aggression and long life.



### 3" Power Crimped Encapsulated Wire Wheels

PART#	WEILER#	SIZE	FACE WIDTH	ARBOR	WIRE SIZE	FILL WIRE	TRIM LENGTH	MAX RPM
14164	35250	3"	1/4"	1/2" - 3/8"	.0118"	Carbon Steel	1"	20,000
14181	35260	3"	1/4"	1/2" - 3/8"	.014"	Carbon Steel	1"	20,000

**WIRE WHEEL BRUSHES**



14052

**Crimped Wire Wheels**

Designed for smoothing and blending rough edges, deburring, removing flash and for finishing or surface preparation. Certain styles are good for removal of rust, scale, paint and dirt.



**4" x 5/8"-11NC Crimped Wire Wheel**

PART#	SIZE	FACE WIDTH	ARBOR	WIRE SIZE	FILL WIRE	TRIM LENGTH	MAX RPM
14052	4"	5/8"	5/8"-11NC	.020"	Carbon Steel	1"	8,500



14057

**6" Crimped Wire Wheels**

PART#	SIZE	FACE WIDTH	ARBOR	WIRE SIZE	FILL WIRE	TRIM LENGTH	MAX RPM
14057	6"	Narrow 1/2"	1/2" - 5/8"	.020"	Carbon Steel	1-3/8"	6,000
14058	6"	Medium 5/8"	1/2" - 5/8"	.025"	Carbon Steel	1-1/4"	6,000



14058

**7", 8" & 10" Crimped Wire Wheels**

PART#	SIZE	FACE WIDTH	ARBOR	WIRE SIZE	FILL WIRE	TRIM LENGTH	MAX RPM
777S	7"	1"	1/2" - 5/8"	.014"	Carbon Steel	1-5/8"	6,000
14059	8"	1"	1/2" - 5/8"	.014"	Carbon Steel	1-7/8"	4,500
14140	10"	1-1/4"	1-1/4"-Various	.014"	Carbon Steel	2"	3,600




777S



14059



14140



14140 Arbor Bushings (bushings included with 14140; not sold separately)



14182



14170



13995



13996



14027



14028



14029



14030

## Heavy-Duty Mini Knotted Wire Circular Brushes



### 3-1/2" Heavy-Duty Mini Knotted Wire Circular Brushes - Round Shank

PART#	WEILER#	SIZE	FACE WIDTH	SHANK	STYLE	FILL WIRE	WIRE SIZE	TRIM LENGTH	MAX RPM
14182	17682	3-1/2"	3/8"	1/4" Round	Knotted	Carbon Steel	.020"	5/8"	25,000
14170	17681	3-1/2"	3/8"	1/4" Round	Knotted	Carbon Steel	.014"	5/8"	25,000

## Mini Knotted Wire Brushes



### 2" & 3" Mini Knotted Circular Wire Brushes - Round Shank

PART#	SIZE	FACE WIDTH	SHANK	STYLE	FILL WIRE	WIRE SIZE	TRIM LENGTH	MAX RPM
13995	2"	3/8"	1/4" Round	Knotted	Carbon Steel	.020"	1/2"	7,500
13996	3"	1/2"	1/4" Round	Knotted	Carbon Steel	.020"	5/8"	12,500

## Crimped Circular Wire Brushes

A general purpose brush with 1/4" round shank used with electric drills. Brushes have many applications around the shop and home environments. Coarse brushes are .020" wire and fine brushes are .014".



### 1-1/2" - 4" Crimped Circular Wire Brushes - Round Shank

PART#	SIZE	FACE WIDTH	SHANK	STYLE	FILL WIRE	WIRE SIZE	TRIM LENGTH	MAX RPM
14027	1-1/2"	.20"	1/4" Round	Crimped	Carbon Steel	.020"	3/8"	6,000
14028	2"	3/8"	1/4" Round	Crimped	Carbon Steel	.020"	1/2"	6,000
14029	2-1/2"	1/4"	1/4" Round	Crimped	Carbon Steel	.020"	5/8"	6,000
14030	3"	1/4"	1/4" Round	Crimped	Carbon Steel	.020"	1/2"	6,000
14031	3"	3/8"	1/4" Round	Crimped	Carbon Steel	.014"	5/8"	4,500
14032	4"	1/2"	1/4" Round	Crimped	Carbon Steel	.014"	7/8"	15,000

WIRE BRUSHES WITH SHANK



13964



13966



13968



13970



13972

### Crimped Circular Wire Brushes

A general purpose brush with 1/4" hex shank used with power drills. Brushes have many applications around the shop and home environments. Coarse brushes are .012" wire and fine brushes are .008".



#### 1-1/2" - 4" Crimped Circular Wire Brushes - Hex Shank

PART#	SIZE	FACE WIDTH	SHANK	STYLE	FILL WIRE	WIRE SIZE	TRIM LENGTH	MAX RPM
13964	1-1/2"	.18"	1/4" Hex	Crimped	Carbon Steel	.012"	3/8"	4,500
13965	1-1/2"	1/4"	1/4" Hex	Crimped	Carbon Steel	.008"	3/8"	4,500
13966	2"	3/8"	1/4" Hex	Crimped	Carbon Steel	.012"	1/2"	4,500
13967	2"	3/8"	1/4" Hex	Crimped	Carbon Steel	.008"	3/8"	4,500
13968	2-1/2"	.30	1/4" Hex	Crimped	Carbon Steel	.012"	5/8"	4,500
13969	2-1/2"	.30	1/4" Hex	Crimped	Carbon Steel	.008"	5/8"	4,500
13970	3"	3/8"	1/4" Hex	Crimped	Carbon Steel	.012"	5/8"	4,500
13971	3"	3/8"	1/4" Hex	Crimped	Carbon Steel	.008"	1/2"	4,500
13972	4"	1/2"	1/4" Hex	Crimped	Carbon Steel	.012"	7/8"	4,500
13973	4"	1/2"	1/4" Hex	Crimped	Carbon Steel	.008"	1"	4,500



13961



13979

#### 3" Crimped Encapsulated Circular Wire Brushes

PART#	SIZE	FACE WIDTH	SHANK	STYLE	FILL WIRE	WIRE SIZE	TRIM LENGTH	MAX RPM
13961	3"	.30"	1/4" Hex	Crimped	Carbon Steel	N/A	1"	4,500
13979	3"	.30"	1/4" Round	Crimped	Carbon Steel	N/A	1"	4,500

## Heavy-Duty Knotted End Brushes

Features a hollow end and heavy-duty brushing action with some flexibility; ideal for more demanding cleaning applications in recessed areas.



### 1-1/8" Power Knotted End Brushes - Round Shank

PART#	WEILER#	SIZE	SHANK	STYLE	FILL WIRE	WIRE SIZE	TRIM LENGTH	MAX RPM
14178	10212	1-1/8"	1/4" Round	Knotted	Carbon Steel	.014"	1-1/8"	20,000
14185	10028	1-1/8"	1/4" Round	Knotted	Carbon Steel	.020"	7/8"	22,000

## End Brushes

For use with a 1/4" diameter air or electric tool, these brushes can get into hard to reach locations. Use on rubber or plastic, rust, weld cleaning, scale removal, etc.



### Knotted End Brushes - Round Shank

PART#	SIZE	SHANK	STYLE	FILL WIRE	WIRE SIZE	TRIM LENGTH	MAX RPM
13988	1"	1/4" Round	Knotted	Stainless Steel	.020"	1"	20,000
14072	3/4"	1/4" Round	Knotted	Carbon Steel	.020"	1"	20,000
14073	1"	1/4" Round	Knotted	Carbon Steel	.020"	1"	20,000
14074	1-1/4"	1/4" Round	Knotted	Stainless Steel	.020"	1"	20,000

### Crimped End Brushes - Round Shank

PART#	SIZE	SHANK	STYLE	FILL WIRE	WIRE SIZE	TRIM LENGTH	MAX RPM
708E	1"	1/4" Round	Crimped	Carbon Steel	.014"	1-1/8"	22,000
709E	3/4"	1/4" Round	Crimped	Carbon Steel	.006"	1"	22,000
720E	1/2"	1/4" Round	Crimped	Carbon Steel	.006"	1"	22,000
14024	1"	1/4" Round	Crimped	Stainless Steel	.020"	1"	20,000
14070	3/4"	1/4" Round	Crimped	Carbon Steel	.020"	1"	20,000
14071	1"	1/4" Round	Crimped	Carbon Steel	.020"	1"	20,000

### Crimped End Brushes - Hex Shank

PART#	SIZE	SHANK	STYLE	FILL WIRE	WIRE SIZE	TRIM LENGTH	MAX RPM
13962	1"	1/4" Hex	Crimped	Carbon Steel	.012"	1"	4,500
13963	1"	1/4" Hex	Crimped	Carbon Steel	.008"	1-1/8"	4,500