




SHARK

INDUSTRIES, LTD.

Backing Pads & Mandrels





Twist-to-Lock Backing Pads

- For use with:
- Surface Prep/Conditioning Discs
 - Mini Grinding Discs
 - Mini Flap Discs
 - Mini Cup Flap Discs



Tool: Right Angle Grinders and Die Grinders

Vented Twist-to-lock Backing Pads w/Mandrel

2", 3" and 4" Vented Twist-to-lock type backing pads. Ventilated backing pad keeps abrasives cooler while grinding. Provides enhanced performance as heat dissipates.



2" Vented Twist-to-lock Backing Pad

PART#	SIZE	MAX RPM	PK QTY
44320	2"	30,000	1 PK



3" Vented Twist-to-lock Backing Pad

PART#	SIZE	MAX RPM	PK QTY
44321	3"	20,000	1 PK



4" Vented Twist-to-lock Backing Pad

PART#	SIZE	MAX RPM	PK QTY
44322	4"	15,000	1 PK

Twist-to-lock Backing Pads w/Mandrel

1", 1-1/2", 2", 3" and 4" Twist-to-lock backing pads. Compatible with all twist-to-lock brands of discs, these high quality holders have a rigid rubber pad, twist-to-lock attachment and 1/4" shank.

Tool: Right Angle Grinders and Die Grinders.



1" Twist-to-lock Backing Pad

PART#	SIZE	MAX RPM	PK QTY
13191	1"	30,000	1 PK



1-1/2" Twist-to-lock Backing Pad

PART#	SIZE	MAX RPM	PK QTY
13192	1-1/2"	30,000	1 PK



2" Twist-to-lock Backing Pad

PART#	SIZE	MAX RPM	PK QTY
13012	2"	25,000	1 PK
323T-50	2"	25,000	50 PK




3" Twist-to-lock Backing Pad

PART#	SIZE	MAX RPM	PK QTY
13013	3"	20,000	1 PK
333T-50	3"	20,000	50 PK



4" Twist-to-lock Backing Pad

PART#	SIZE	MAX RPM	PK QTY
13014	4"	15,300	1 PK
343T-50	4"	15,300	50 PK



Finger Discs Twist-to-Lock Backing Pads w/Mandrel

1", 2", 3" Twist-to-lock backing pads. These holder are specially designed for use with finger discs. The twist-to-lock holder is made of rubber not metal so that it will not snap off twist-to-lock backing if applied too tight.

- For use with:
- Finger Discs (Bristle Discs)
- Tool: Right Angle Grinders and Die Grinders.



Finger Disc Sold Separately

1" Twist-to-lock Backing Pad

PART#	SIZE	MAX RPM	PK QTY
13326	1"	30,000	1 PK



Finger Disc Sold Separately

2" Twist-to-lock Backing Pad

PART#	SIZE	MAX RPM	PK QTY
13327	2"	25,000	1 PK



Finger Disc Sold Separately

3" Twist-to-lock Backing Pad

PART#	SIZE	MAX RPM	PK QTY
13328	3"	15,000	1 PK

Twist-to-Lock with 3/8"-24 Threaded Backing Pads

2", 3" Twist-to-lock backing pads. Add instant versatility to your 2" grinder.

Tool: 2" Right Angle Mini Grinders; CP7500, Sunex SXC606, Mac Tools AG200, Matco and Snap-On.



2" Twist-to-Lock with 3/8"-24 Threaded Backing Pad

PART#	SIZE	MAX RPM	PK QTY
13025	2"	30,000	1 PK



3" Twist-to-Lock with 3/8"-24 Threaded Backing Pad

PART#	SIZE	MAX RPM	PK QTY
13026	3"	20,000	1 PK

7-1/2" x 1/4" Extended Guide Shaft for use with Backing Pads

For use with all backing pads. Use for hard to reach grinding and surface prep projects.



7 1/2" x 1/4" Extended Guide Shaft for Backing Pads

PART#	SIZE	PK QTY
13085	7-1/2"	1 PK



7 1/2" x 1/4" Extended Guide Shaft with 2" Backing Pad Kit

PART#	SIZE	MAX RPM	PK QTY
13084	7-1/2"	25,000	2 Pieces

FEATURES

Includes PN-13012 Twist-to-lock backing pad.

BACKING PADS

Turbo Backing Pads For Resin Fibre Discs

Heavy duty, flexible backing pads have vents and special design to keep discs cooler when grinding. For use with resin fibre discs on angle grinders.



4" x M10-1.25 Sanding Pad with Nut

PART#	SIZE	MAX RPM	PK QTY
13201	4"	20,000	1 PK



4" x M10-1.50 Sanding Pad with Nut

PART#	SIZE	MAX RPM	PK QTY
13202	4"	20,000	1 PK



4" Sanding Pad without Nut

PART#	SIZE	MAX RPM	PK QTY
13203	4"	20,000	1 PK



4 1/2" x 5/8"-11NC Sanding Pad with Nut

PART#	SIZE	MAX RPM	PK QTY
13204	4-1/2"	20,000	1 PK



5" x 5/8"-11NC Sanding Pad with Nut

PART#	SIZE	MAX RPM	PK QTY
13205	5"	20,000	1 PK



7" x 5/8"-11NC Sanding Pad with Nut

PART#	SIZE	MAX RPM	PK QTY
13206	7"	10,000	1 PK



7" Sanding Pad without Nut

PART#	SIZE	MAX RPM	PK QTY
13207	7"	10,000	1 PK



Replacement Spindle Lock & Nuts

PART#	SIZE	PK QTY
13209	M10-1.25	1 PK
13210	M10-1.50	1 PK
13211	Nut for 5/8"-11 Hub	1 PK



Adjustable Spanner Wrench

PART#	SIZE	PK QTY
13212	1" x 1" x 7"	1 PK
FEATURES		
Adjustable 5/8"-11 spanner wrench for sanding pad nuts.		



BACKING PADS

Hook-and-Loop Backing Pads with 5/8"-11 Threaded Arbor

Internal-thread surface-conditioning disc backing pads install on a compatible male-threaded spindle.



4" x 5/8"-11 Hook-and-Loop Backing Pad

PART#	SIZE	MAX RPM	PK QTY
23450	4"	12,000	1 PK



4-1/2" x 5/8"-11 Hook & Loop Backing Pad

PART#	SIZE	MAX RPM	PK QTY
23451	4-1/2"	12,000	1 PK



5" x 5/8"-11 Hook & Loop Backing Pad

PART#	SIZE	MAX RPM	PK QTY
23452	5"	12,000	1 PK



7" x 5/8"-11 Hook & Loop Backing Pad

PART#	SIZE	MAX RPM	PK QTY
23453	5"	6,000	1 PK



6" Hook & Loop Backing Pad

PART#	SIZE	MAX RPM	PK QTY
13200	6"	12,000	1 PK

FEATURES

Orbital sander backing pad with 5/16" - 24 Male attachment for Hook & Loop discs.

Hook & Loop Backing Pads with 1/4" Shank

Disc pad connects quickly and easily to any power tool for 2", 3" & 4" discs while holding hook-and-loop surface conditioning discs securely and safely.



2" x 1/4" Hook & Loop Backing Pad

PART#	SIZE	MAX RPM	PK QTY
323	2"	23,000	1 PK



3" x 1/4" Hook & Loop Backing Pad

PART#	SIZE	MAX RPM	PK QTY
333	3"	6,000	1 PK



4" x 1/4" Hook & Loop Backing Pad

PART#	SIZE	MAX RPM	PK QTY
343	4"	6,000	1 PK

Hook & Loop Backing Pads

For use on Snap-on, MAC Tools, and Matco Mini Sanders. Tool: Any pistol style 3" sander using female threads.



3" - 1/4-20T Hook & Loop Backing Pad

PART#	SIZE	MAX RPM	PK QTY
333S	3"	15,000	1 PK



3" - 5/16-24T Hook & Loop Backing Pad

PART#	SIZE	MAX RPM	PK QTY
333SP	3"	15,000	1 PK



ARBOR ADAPTORS & BUSHINGS

Arbor Adaptors

These adaptors are available with various arbor sizes and a 2" outside diameter with plain hole centers. Use for mounting wire wheels to bench grinders.




2" to 1/2" Reduced Arbor Hole

PART#	SIZE	PK QTY
14090	1/2"	2 PK



2" to 5/8" Reduced Arbor Hole

PART#	SIZE	PK QTY
14091	5/8"	2 PK



Depressed Center Wheel Adaptor – 5/8"-11NC

PART#	ARBOR	PK QTY
13213	7/8"	3 Pieces

FEATURES

Readily adapts any depressed center (Type 27) wheel with a 7/8" hole to a 5/8-11NCRH spindle. For use on standard right angle grinders. Wrench included.




Adaptor Nuts

PART#	O.D.	I.D.	PK QTY
14093	5/8"-11NC	M10 - 1.25	1 PK
14094	5/8"-11NC	M10 - 1.50	1 PK
14129	5/8"-11NC	3/8" - 24 NF	1 PK

FEATURES

Adapts 5/8"-11NC holes to M10-1.25 and 1.50 to fit high speed grinder spindles.



Reducing Bushings for Bench Grinding Wheels

PART#	THICK.	O.D.	PK QTY
12783	1/2"	3/4", 5/8", 1/2"	3 Bushings
12784	3/4"	3/4", 5/8", 1/2"	3 Bushings
12785	1"	3/4", 5/8", 1/2"	3 Bushings
12786	1"	1-1/4", 1", 3/4", 5/8", 1/2"	4 Bushings

FEATURES

These adaptors are designed to nest or telescope to fit the various needs of your arbor. Made from heavy duty plastic, they are designed to adapt wheels with 1" or 1-1/4" arbors to fit 1/2", 5/8", 3/4" or 1" shafts.

MANDRELS

Mandrels



Mandrel with 3/8" Shoulder Screw

PART#	ARBOR	MAX RPM	PK QTY
12431	3/8"	25,000	1 PK

FEATURES

Used for cut-off wheels with 3/8" holes. One size screw designed to be used only on wheels with 3/8" holes.



Mandrel with 1/4" & 3/8" Shoulder Screws

PART#	ARBOR	MAX RPM	PK QTY
12935	1/4" / 3/8"	25,000	1 PK

FEATURES

Used for cut-off wheels with 3/8" or 1/4" holes. 1/4" mandrel for use on air tools or drills.



Mandrel with 3/8" Extended Shoulder Screw

PART#	ARBOR	MAX RPM	PK QTY
12433	3/8"	25,000	1 PK

FEATURES

Used for cut-off wheels with 3/8" holes when the wheel is thicker than 1/8". One size screw designed to be used only on wheels with 3/8" holes.



Mandrel with 1/4" Extended Shoulder Screw

PART#	ARBOR	MAX RPM	PK QTY
37L	1/4"	25,000	1 PK

FEATURES

Mandrel with 1/4" extended screw for wheels thicker than 3/8".



Mandrel with 1/4" Shoulder Screw

PART#	ARBOR	MAX RPM	PK QTY
37S	1/4"	25,000	1 PK

FEATURES

Used for cut-off wheels with 1/4" holes. One size screw designed to be used only on wheels with 1/4" holes.



Mandrel 1/2" Adaptor, 1/4" Shank

PART#	ARBOR	PK QTY
12693	1/2"	1 PK

FEATURES

Quality one-piece construction offers durability and strength. The 1/4" shank and 1/2" body holds all 1/2" bore accessories. Includes one washer.



14607 Strip-Brite Disc Sold Separately

Mandrel 1/2" Adaptor, 1/4" Shank

PART#	ARBOR	PK QTY
12782	1/2"	1 PK

FEATURES

Quality one-piece construction offers durability and strength. The 1/4" shank and 1/2" body holds all 1/2" bore accessories. Includes two washers.



Mini Mounted Wheel Mandrel Kit – 1/4"

PART#	ARBOR	PK QTY
12936	1/4"	3 Pieces

FEATURES

Replacement mandrels to be used with Mini Mounted Grinding Wheels.